

# Beach Sampling Field Data

Revised 2018

Town/City:	Date Collected:	Sample Location:	Sample Time:	Water Clarity:	Water Temp:	Wave Intensity:	Days Since Rain:	Time Delivered to Lab:	Delivered by:	Relinquished to:	Potential Pollution Sources:	If none, check none					
Sample Location Details:			Water Quality:		Weather:		Pollution Sources:		Checkmark for others:								
Address/Map Reference:			Water Color	Water Temp	Wave Intensity	Days Since Rain	Time Delivered to Lab	Delivered by	Relinquished to	People	Dogs	Algae	Trash	Animal	Human waste	Wreck	None
Address/Map Reference:			Water Color	Water Temp	Wave Intensity	Days Since Rain	Time Delivered to Lab	Delivered by	Relinquished to	People	Dogs	Algae	Trash	Animal	Human waste	Wreck	None
7134	NA	Bolton Town	F	7:46 AM	C	M	74.5	N	R	5	0	0	0				
7135		Pine Bluff	F	8:32 AM	C	M	74.7	N	R	5	0	0	0				
7136		Tom Denney	F	8:05 AM	C	M	75.2	N	R	5	0	0	0				
7137		Littleton Town	F	8:59 AM	C	M	76.6	N	R	5	5	0	0				
7138		Sartgsson	F	9:19 AM	C	M	76.3	N	R	5	5	0	0				
7139		Baby Beach	F	9:25 AM	C	M	76.2	N	R	5	0	0	0				
7140		Grotonwood	F	9:43 AM	C	M	75.7	N	R	5	0	0	0				
7141		Mirror Lake	F	10:06 AM	C	M	76.6	N	R	5	10	0	0				
7142		Camp Low	F	10:20 AM	C	M	77.8	N	R	5	20	0	0				
7143		Lancaster Town	F	10:30 AM	C	M	78	N	R	5	20	0	0				
7144		Hickory Hills Brookview	F	10:48 AM	C	M	77.7	N	R	5	0	0	0				
7145		Hickory Hills Hemlock	F	10:57 AM	C	M	76.5	N	R	5	0	0	0				
7146		Hickory Hills Island	F	11:05 AM	C	M	78.1	N	R	5	5	0	0				
7147		Lunenburg Town	F	11:20 AM	C	M	77.4	N	R	5	15	0	0				
7148	NA	Emerald Place	F	11:28 AM	C	M	76.7	N	R	5	5	0	0				

Cloud Cover:  Clear  Partly Cloudy  Cloudy/Overcast

Comments:

A copy of this form must be included with the samples when they are submitted to the lab.

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217237**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health

30 Central Avenue

Ayer, MA 01432

ReportDate: 7/28/2020

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7134 Bolton, Town Beach</b>					
<i>Sampled: 7/27/2020 7:46:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	4	2	7/27/2020 2:30:00 PM	M-MA1118

Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **217238**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/28/2020

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7135 Stow, Town Beach</b>					
<i>Sampled: 7/27/2020 8:32:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	32	2	7/27/2020 2:30:00 PM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217239**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health

ReportDate: 7/28/2020

30 Central Avenue

Ayer, MA 01432

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7136 Bolton, Tom Denny Camp. Flanagan Rd</b>					
<i>Sampled: 7/27/2020 8:05:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	80	2	7/27/2020 2:30:00 PM	M-MA1118

Recreational Water Limits:

E.coli Limit= 235/100ml


Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118


David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217240**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/28/2020

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7137 Littleton, Town Beach</b>					
<i>Sampled: 7/27/2020 8:59:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	76	2	7/27/2020 2:30:00 PM	M-MA1118

### Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217242**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/28/2020

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7138 Groton, Town Beach</b>					
<i>Sampled: 7/27/2020 9:19:00 AM by ohn B</i>					
E.coli, /100ML	EPA 1603	<4	4	7/27/2020 2:30:00 PM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217243**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/28/2020

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7139 Groton, Baby Beach</b>					
<i>Sampled: 7/27/2020 9:25:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	12	2	7/27/2020 2:30:00 PM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217245**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/28/2020

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7140 Groton, GrotonWood Camp,Prescott Rd</b>					
<i>Sampled: 7/27/2020 9:43:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	12	2	7/27/2020 2:30:00 PM	M-MA1118

Recreational Water Limits:


E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director



# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217248**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health

30 Central Avenue

Ayer, MA 01432

ReportDate: 7/28/2020

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7141 Devens, Mirror Lake, Patten Rd</b>					
<i>Sampled: 7/27/2020 10:06:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	24	2	7/27/2020 2:30:00 PM	M-MA1118

Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217249**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/28/2020

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7142 Lancaster, Camp Lowe, Ft. Pond Inn Rd</b>					
<i>Sampled: 7/27/2020 10:20:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	14	2	7/27/2020 2:30:00 PM	M-MA1118

Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217250**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health

30 Central Avenue

Ayer, MA 01432

ReportDate: 7/28/2020

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7143 Lancaster, Town Beach, Fire Road 4</b>					
<i>Sampled: 7/27/2020 10:30:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	22	2	7/27/2020 2:30:00 PM	M-MA1118

Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217251**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health

30 Central Avenue

Ayer, MA 01432

ReportDate: 7/28/2020

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7144 Lunenburg, Hickory Hills, Brookview</b>					
<i>Sampled: 7/27/2020 10:48:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	30	2	7/27/2020 2:30:00 PM	M-MA1118

**Recreational Water Limits:**


E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217253**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/28/2020

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7146 Lunenburg, Hickory Hill, Island Rd</b>					
<i>Sampled: 7/27/2020 11:05:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	18	2	7/27/2020 2:30:00 PM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217254**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health

30 Central Avenue

Ayer, MA 01432

ReportDate: 7/28/2020

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7147 Lunenburg, Town Beach</b>					
<i>Sampled: 7/27/2020 11:20:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	42	2	7/27/2020 2:30:00 PM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217255**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/28/2020

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7148 Lunenburg, Lake Whalom (Emerald Place)</b>					
<i>Sampled: 7/27/2020 11:28:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	334	2	7/27/2020 2:30:00 PM	M-MA1118

Recreational Water Limits:


E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**217252**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health

30 Central Avenue

Ayer, MA 01432

ReportDate: 7/28/2020

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7145 Lunenburg, Hickory Hemlock, Hemlock Dr					
Sampled: 7/27/2020 10:57:00 AM by John B					
E.coli, /100ML	EPA 1603	38	2	7/27/2020 2:30:00 PM	M-MA1118

### Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118



David L. Knowlton  
Laboratory Director