

Beach Sampling Field Data Form

Time Delivered to Lab:
Relinquished to:

Town:
Date Collected: 8/16
Collected by: John J

Sample #	Beach Name (if beach has multiple samples, note location)	Marine or Fresh	Sample Time	Water Clarity			Water Temp (°F)	Days Since Rain ('0' if ≤ 24 hrs)	Approximate #			Potential Pollution Sources (Circle all that apply or circle 'None')				
				Clear	Partly Murky	Murky			People in water	Birds	Dogs	None	Algae	Trash	Wrack	Animal/Human Waste
7178	Bolton Town	F	7:49AM	Clear	Partly Murky	Murky	73.4	5	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7179	Pine Bluff	F	8:15AM	Clear	Partly Murky	Murky	74.1	5	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7180	Littleton Town	F	8:41AM	Clear	Partly Murky	Murky	74	5	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7181	Sartgsson	F	8:59AM	Clear	Partly Murky	Murky	73.9	5	5	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7182	Baby Beach	F	9:07AM	Clear	Partly Murky	Murky	72.1	5	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7183	Greenwood	F	9:25AM	Clear	Partly Murky	Murky	73.3	5	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7184	Mirror Lake	F	9:53AM	Clear	Partly Murky	Murky	75	5	2	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7185	Camp Lane	F	10:06AM	Clear	Partly Murky	Murky	76.8	5	10	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7186	Lancaster Recreation	F	10:16AM	Clear	Partly Murky	Murky	71.3	5	10	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7187	Hickory Hills Parkway	F	10:36AM	Clear	Partly Murky	Murky	73.4	5	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste

Comments:

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Wave Intensity: Calm Normal Rough

A copy of this form must be included with the samples when they are submitted to the lab.

Beach Sampling Field Data Form

Time Delivered to Lab:
Relinquished to:

Town: 8/10
Date Collected: John B
Collected by:

Sample #	Beach Name (if beach has multiple samples, note location)	Marine or Fresh	Sample Time	Water Clarity		Water Temp (°F)	Days Since Rain ('0' if ≤ 24 hrs)	Approximate #			Potential Pollution Sources (Circle all that apply or circle 'None')				
				Partly Murky	Murky			People in water	Birds	Dogs	Algae	Trash	Wrack	Animal/Human Waste	
7188	Hickory Hills Henlock	F	10:48 AM	Clear	Murky	74.3	5	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7189	Hickory Hills Island	F	10:55 AM	Clear	Murky	75	5	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7190	Lunenburg Town	F	11:10 AM	Clear	Murky	72.2	5	5	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7191	Emerald Place	F	11:17 AM	Clear	Murky	73.1	5	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
				Clear	Partly Murky						None	Algae	Trash	Wrack	Animal/Human Waste
				Clear	Partly Murky						None	Algae	Trash	Wrack	Animal/Human Waste
				Clear	Partly Murky						None	Algae	Trash	Wrack	Animal/Human Waste
				Clear	Partly Murky						None	Algae	Trash	Wrack	Animal/Human Waste
				Clear	Partly Murky						None	Algae	Trash	Wrack	Animal/Human Waste
				Clear	Partly Murky						None	Algae	Trash	Wrack	Animal/Human Waste

Comments:

Cloud Cover: Clear

Partly Cloudy

Cloudy/Overcast

Wave Intensity: Calm

Normal

Rough

A copy of this form must be included with the samples when they are submitted to the lab.

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217862

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7178 Bolton, Town Beach					
<i>Sampled: 8/10/2020 7:49:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	10	4	8/10/2020 3:10:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217865

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7179 Stow, Town Beach					
<i>Sampled: 8/10/2020 8:15:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	4	4	8/10/2020 3:10:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

Handwritten signature of David L. Knowlton.

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217868

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7180 Littleton, Town Beach					
<i>Sampled: 8/10/2020 8:41:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	4	2	8/10/2020 3:10:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217870

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7181 Groton, Town Beach					
<i>Sampled: 8/10/2020 8:59:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	18	2	8/10/2020 3:10:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217872

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7182 Groton, Baby Beach					
Sampled: 8/10/2020 9:07:00 AM by John B.					
E.coli, /100ML	EPA 1603	4	2	8/10/2020 3:10:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217874

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7183 Groton, GrotonWood Camp, Prescott Rd					
Sampled: 8/10/2020 9:25:00 AM by John B.					
E.coli, /100ML	EPA 1803	12	2	8/10/2020 3:10:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217875

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


ReportDate: 8/11/2020

30 Central Avenue

Ayer, MA 01432

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7184 Devens, Mirror Lake, Patten Rd					
Sampled: 8/10/2020 9:53:00 AM by John B.					
E.coli, /100ML	EPA 1603	30	2	8/10/2020 3:10:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217876

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7185 Lancaster, Camp Lowe, Ft. Pond Inn Rd					
Sampled: 8/10/2020 10:06:00 AM by John B.					
E.coli, /100ML	EPA 1603	<2	2	8/10/2020 3:10:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217877

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7186 Lancaster, Town Beach, Fire Road 4					
<i>Sampled: 8/10/2020 10:16:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	2	2	8/10/2020 3:10:00 PM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217863

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health

30 Central Avenue


Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Lunenburg

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7187- Hickory Hills, Brookview					
<i>Sampled: 8/10/2020 10:36:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	4	2	8/10/2020 3:10:00 PM	M-MA1118



MRL=Minimum Reporting Level, ND = None Detected (<MRL)

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217864

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7188 Lunenburg, Hickory Hemlock, Hemlock Dr					
Sampled: 8/10/2020 10:48:00 AM by John B					
E.coli, /100ML	EPA 1603	90	2	8/10/2020 3:10:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217866

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7189 Lunenburg, Hickory Hill, Island Rd					
<i>Sampled: 8/10/2020 10:55:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	2	2	8/10/2020 3:10:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

217867

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/11/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7190 Lunenburg, Town Beach					
<i>Sampled: 8/10/2020 11:10:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	74	2	8/10/2020 3:10:00 PM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director