

Beach Sampling Field Data Form

Time Delivered to Lab:
Relinquished to:

Town: 8/17/20
Date Collected: John B
Collected by:

Sample #	Beach Name (If beach has multiple samples, note location)	Marine or Fresh	Sample Time	Water Clarity		Water Temp (°F)	Days Since Rain ('0' if ≤ 24 hrs)	Approximate #			Potential Pollution Sources (Circle all that apply or circle 'None')					
				Partly Murky	Murky			People in water	Birds	Dogs	None	Algae	Trash	Wrack	Animal/Human Waste	
7205	Bolton Town	F	7:29AM	Clear	Murky	65.7	0	0	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7206	Pine Bluff	F	7:49AM	Clear	Murky	66.1	0	0	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7207	Littleton Town	F	8:12AM	Clear	Murky	67.1	0	0	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7208	Sartogsson	F	8:29AM	Clear	Murky	68	0	0	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7209	Baby Beach	F	8:36AM	Clear	Murky	67.8	0	0	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7210	Crotona road	F	8:57AM	Clear	Murky	68.2	0	0	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7211	Mirror Lake	F	9:25AM	Clear	Murky	72.2	0	0	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7212	Camp Cove	F	9:38AM	Clear	Murky	73	0	20	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7213	Lancaster Town	F	9:46AM	Clear	Murky	72.1	0	0	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7214	Hickory Hills Brookview	F	10:03AM	Clear	Murky	73.5	0	0	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste

Comments:

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast
 Wave Intensity: Calm Normal Rough

A copy of this form must be included with the samples when they are submitted to the lab.

Beach Sampling Field Data Form

Time Delivered to Lab:
Relinquished to:

Town: _____
Date Collected: 8/17/20
Collected by: John B

Sample #	Beach Name (if beach has multiple samples, note location)	Marine or Fresh	Sample Time	Water Clarity			Water Temp (°F)	Days Since Rain ('0' if ≤ 24 hrs)	Approximate #			Potential Pollution Sources (Circle all that apply or circle 'None')				
				Clear	Partly Murky	Murky			People in water	Birds	Dogs	Algae	Trash	Wrack	Animal/Human Waste	
7215	Hickory Hills Hemlock	F	10:14 AM	Clear	Partly Murky	Murky	73	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste	
7216	Hickory Hills Island	F	10:21 AM	Clear	Partly Murky	Murky	73.1	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste	
7217	Lumenburg Town	F	10:34 AM	Clear	Partly Murky	Murky	73.2	0	5	0	None	Algae	Trash	Wrack	Animal/Human Waste	
7218	Emerald Place	F	10:40 AM	Clear	Partly Murky	Murky	72.9	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste	
7218	Emerald Place	F	3:00	Clear	Partly Murky	Murky	72.9	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste	
7219	Plumer Lake	F	3:00	Clear	Partly Murky	Murky	72.2	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste	
7221	Mirror Lake	F	9:00	Clear	Partly Murky	Murky	72.2	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste	
7222	11' Boat launch	F	1:00	Clear	Partly Murky	Murky	72.2	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste	
7241	Hickory/Hemlock	F	9:52	Clear	Partly Murky	Murky	69.9	Spitting out	0	6	0	None	Algae	Trash	Wrack	Animal/Human Waste

Comments: _____

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Wave Intensity: Calm Normal Rough

A copy of this form must be included with the samples when they are submitted to the lab.

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218232

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7217 Lunenburg, Town Beach					
Sampled: 8/17/2020 10:34:00 AM by John B					
E.coli, /100ML	EPA 1603	122	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218231

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7216 Lunenburg, Hickory Hill, Island Rd					
<i>Sampled: 8/17/2020 10:21:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	<2	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218230

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7215 Lunenburg, Hickory Hemlock, Hemlock Dr					
Sampled: 8/17/2020 10:14:00 AM by John B					
E.coli, /100ML	EPA 1603	6	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink that reads "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218229

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7214 Lunenburg, Hickory Hills, Brookview					
<i>Sampled: 8/17/2020 10:03:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	<2	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink that reads "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218228

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7213 Lancaster, Town Beach, Fire Road 4					
<i>Sampled: 8/17/2020 9:46:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	2	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=81/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218227

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7212 Lancaster, Camp Lowe, Ft. Pond Inn Rd					
<i>Sampled: 8/17/2020 9:38:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	14	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218224

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7209 Groton, Baby Beach					
<i>Sampled: 8/17/2020 8:38:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	24	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218223

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7208 Groton, Town Beach					
<i>Sampled: 8/17/2020 8:29:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	<2	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218220

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7206 Stow, Town Beach					
<i>Sampled: 8/17/2020 7:49:00 AM by John B</i>					
E.coli, /100ML	EPA 1803	<2	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink that reads "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218222

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7207 Littleton, Town Beach					
<i>Sampled: 8/17/2020 8:12:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	60	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218219

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7205 Bolton, Town Beach					
<i>Sampled: 8/17/2020 7:29:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	44	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218226

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7211 Devens, Mirror Lake, Patten Rd					
Sampled: 8/17/2020 9:25:00 AM by John B					
E.coli, /100ML	EPA 1603	>600	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218225

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/18/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7210 Lunenburg, Lake Whalom (Emerald Place)					
<i>Sampled: 8/17/2020 10:40:00 AM by John B</i>					
E.coli, /100ML	EPA 1603	322	2	8/17/2020 1:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **218407**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/19/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7219 Lunenburg, Lake Whalom (Emerald Place)					
<i>Sampled: 8/18/2020 3:30:00 PM by B Braley</i>					
E.coli, /100ML	EPA 1603	38	2	8/18/2020 4:50:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **218502**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/21/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7221 Devens, Mirror Lake, Patten Rd					
Sampled: 8/20/2020 1:25:00 PM by B Braley					
E.coli, /100ML	EPA 1603	12	2	8/20/2020 3:50:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218504

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/21/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7222 Boat Launch Devens, Mirror Lake, Patten Rd					
Sampled: 8/20/2020 1:30:00 PM by B Braley					
E.coli, /100ML	EPA 1603	<2	2	8/20/2020 3:50:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218406

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/19/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7218 Devens, Mirror Lake, Patten Rd					
<i>Sampled: 8/18/2020 3:59:00 PM by B Braley</i>					
E.coli, /100ML	EPA 1603	110	2	8/18/2020 4:50:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director