

Beach Sampling Field Data Form

Town: 8/24
 Date Collected: 8/24
 Collected by: DHG

Time Delivered to Lab:
 Relinquished to:

Sample #	Beach Name (If beach has multiple samples, note location)	Marine or Fresh	Sample Time	Water Clarity	Water Temp (°F)	Days Since Rain ('0' if < 24 hrs)	Approximate #			Potential Pollution Sources (Circle all that apply or circle 'None')			
							People in water	Birds	Dogs	Algae	Trash	Wrack	Animal/Human Waste
7225	Bolton Town	F	7:37AM	Clear	71	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7224	Pine Bluff	F	7:44AM	Clear	71.1	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7225	Littleton Town	F	8:14AM	Clear	71.3	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7226	Sartgsson	F	8:32AM	Clear	72.4	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7227	Baby Beach	F	8:39AM	Clear	73.2	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7228	Mirror Lake	F	9:07AM	Clear	74.1	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7229	Camp Lake	F	9:19AM	Clear	74.7	0	15	0	None	Algae	Trash	Wrack	Animal/Human Waste
7230	Lawcaster Town	F	9:28AM	Clear	74.4	0	2	0	None	Algae	Trash	Wrack	Animal/Human Waste
7231	Hickory Hills Brooknew	F	9:48AM	Clear	73.7	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7232	Hickory Hills Herndak	F	9:55AM	Clear	74.6	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste

Comments: _____

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Wave Intensity: Calm Normal Rough

A copy of this form must be included with the samples when they are submitted to the lab.

Beach Sampling Field Data Form

Town:
 Date Collected: **8/24**
 Collected by: **Johnp**

Time Delivered to Lab:
 Relinquished to:

Sample #	Beach Name (If beach has multiple samples, note location)	Marine or Fresh	Sample Time	Water Clarity		Water Temp (°F)	Days Since Rain ('0' if < 24 hrs)	Approximate #			Potential Pollution Sources (Circle all that apply or circle 'None')				
				Clear	Partly Murky			People in water	Birds	Dogs	None	Algae	Trash	Wrack	Animal/Human Waste
7233	Hickory Hills Trail	F	10:03 AM	Clear	Partly Murky	71.2	0	0	5	0	None	Algae	Trash	Wrack	Animal/Human Waste
7234	Luxemburg Bm	F	10:24 AM	Clear	Partly Murky	73.5	0	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
7235	Emerald Place	F	10:25 AM	Clear	Partly Murky	73	0	0	0	0	None	Algae	Trash	Wrack	Animal/Human Waste
				Clear	Partly Murky						None	Algae	Trash	Wrack	Animal/Human Waste
				Clear	Partly Murky						None	Algae	Trash	Wrack	Animal/Human Waste
				Clear	Partly Murky						None	Algae	Trash	Wrack	Animal/Human Waste
				Clear	Partly Murky						None	Algae	Trash	Wrack	Animal/Human Waste
				Clear	Partly Murky						None	Algae	Trash	Wrack	Animal/Human Waste

Comments: _____

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast Wave Intensity: Calm Normal Rough

A copy of this form must be included with the samples when they are submitted to the lab.

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218602

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

ReportDate: 8/25/2020


Nashoba Assoc. Boards of Health

30 Central Avenue

Ayer, MA 01432

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7223 Bolton, Town Beach					
<i>Sampled: 8/24/2020 7:27:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	30	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218603

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7224 Stow, Town Beach					
<i>Sampled: 8/24/2020 7:48:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	8	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **218604**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7225 Littleton, Town Beach					
<i>Sampled: 8/24/2020 8:14:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	8	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **218605**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7226 Groton, Town Beach					
<i>Sampled: 8/24/2020 8:32:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	18	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:
 E.coli Limit= 235/100ml
 Enterococcus Limit=61/100ml
 MRL = Minimum Reporting Level
 Analysis performed according to 310CMR42.00
 Massachusetts Certified
 Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218607

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7228 Devens, Mirror Lake, Patten Rd					
<i>Sampled: 8/24/2020 9:07:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	134	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218608

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7229 Lancaster, Camp Lowe, Ft. Pond Inn Rd					
<i>Sampled: 8/24/2020 9:19:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	2	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218609

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7230 Lancaster, Town Beach, Fire Road 4					
<i>Sampled: 8/24/2020 9:28:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	4	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218610

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7231 Lunenburg, Hickory Hills, Brookview					
<i>Sampled: 8/24/2020 9:48:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	186	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218611

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7232 Lunenburg, Hickory Hemlock, Hemlock Dr					
Sampled: 8/24/2020 9:55:00 AM by John B.					
E.coli, /100ML	EPA 1603	288	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218612

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7233 Lunenburg, Hickory Hill, Island Rd					
<i>Sampled: 8/24/2020 10:03:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	72	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **218613**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7234 Lunenburg, Town Beach					
<i>Sampled: 8/24/2020 10:21:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	106	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **218615**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7235 Lunenburg, Lake Whalom (Emerald Place)					
<i>Sampled: 8/24/2020 10:25:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	44	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

218606

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/25/2020

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7227 Groton, Baby Beach					
<i>Sampled: 8/24/2020 8:39:00 AM by John B.</i>					
E.coli, /100ML	EPA 1603	12	2	8/24/2020 2:20:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director