

Beach Sampling Field Data

Revised 2018

Town/City: **NASTH District**
 Date Collected: **week of 6/15/2021**
 Collected by: _____

Time Delivered to Lab: _____

Delivered by: _____

Relinquished to: _____

Sample Location (Beach Sample Location)	Sample Time	Maine County	Water Clarity (Clear, Murky, Milky)	Water Temp (F)	Wave Intensity (Calm, Normal, Rough)	Days Since Rain	Potential Pollution Sources - if none, check "none"									
							# People in Water	# Birds	# Dogs	Algae	Trash	Animal/ Human waste	Wrack	None		
Example Sandy Beach	9:30 am	M	C	68	C	0	0	5	0							
Example Sunset Pines	6:35 am	F	C	72	C	7	7	0	0		✓					
Example Excellent Point	1:00 am	F	C	70	C	2										✓
7630 BOLTONTOWN	7:10am	F	C	70	C	0	0	0	0							
7631 STANTOWN	7:31am	F	C	72.3	C	0	0	0	0							
7632 HORTONSTOWN	8:10am	F	C	70	C	0	0	0	0							
7629 LYMERSTOWN	8:20am	F	C	72.5	C	0	1	0	0							
7633 CROFTONTOWN	8:45am	F	C	72.1	C	0	0	0	0							
7634 BABY BEACH	8:51am	F	C	72.1	C	0	0	0	0							
7635 GARLANDWOOD	9:14am	F	C	71.8	C	0	0	0	0							
7636 AVER TOWN	9:40am	F	C	72	C	0	0	1	0							
7637 MIDDLEBORO	10:33am	F	C	69.5	C	0	0	0	0							
7638 HICKENHILLS	11:27am	F	C	70	C	0	0	0	0							
7639 HICKENHILLS	11:27am	F	C	69.6	C	0	0	0	0							
7640 HICKENHILLS	11:40am	F	C	70.3	C	0	0	0	0							

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Comments: _____

A copy of this form must be included with the samples when they are submitted to the lab.

Beach Sampling Field Data

Revised 2018

Town/City: _____
Date Collected: _____
Collected by: _____

Time Delivered to Lab: _____
Delivered by: _____
Relinquished to: _____

Potential Pollution Sources - if none, check "none" →
 For people, birds, and dogs, indicate number. Use check mark for others.

Sample Location (Beach, multiple samples, site location)	Mainline or Fresh	Sample Time	Water Clarity (M, P, C)	Water Temp (F)	Wave Intensity (C, N, R)	# People in Water	# Birds	# Dogs	Algae	Trash	Animal/ Human waste	Wrack	None
<i>Example</i> Sandy Beach	M	9:30 am	C	68	C	0	5	0					
<i>Example</i> Sunset Pines	F	6:35 am	C	72	C	7	0	0		✓			
<i>Example</i> Excellent Point	F	1:00 am	C	70	C								✓
<i>124 Emerald Pines</i>	<i>F</i>	<i>12:45 PM</i>	<i>C</i>	<i>68.5</i>	<i>C</i>	<i>0</i>	<i>0</i>	<i>0</i>					
<i>127 Camp Lane</i>	<i>F</i>	<i>1:45 PM</i>	<i>C</i>	<i>70</i>	<i>C</i>	<i>0</i>	<i>0</i>	<i>0</i>					

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast
Comments: _____

A copy of this form must be included with the samples when they are submitted to the lab.

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

228902

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7627 Lancaster, Camp Lowe, Ft. Pond Inn Rd					
<i>Sampled: 6/14/2021 10:56:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	6/14/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **228905**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7637 Devens, Mirror Lake, Patten Rd					
Sampled: 6/14/2021 10:33:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	4	2	6/14/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

228907

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7638 Lunenburg, Hickory Hill, Island Rd					
<i>Sampled: 6/14/2021 11:23:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	26	2	6/14/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **228909**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7639 Lunenburg, Hickory Hemlock, Hemlock Dr					
<i>Sampled: 6/14/2021 11:32:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	34	2	6/14/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:
 E.coli Limit= 235/100ml
 Enterococcus Limit=61/100ml
 MRL = Minimum Reporting Level
 Analysis performed according to 310CMR42.00
 Massachusetts Certified
 Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

228911

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7640 Lunenburg, Hickory Hills, Brookview					
<i>Sampled: 6/14/2021 11:44:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	230	2	6/14/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **228914**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7641 Lunenburg, Lake Whalom (Emerald Place)					
<i>Sampled: 6/14/2021 12:03:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	180	2	6/14/2021 4:15:00 PM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

A handwritten signature in black ink, which appears to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

228865

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7629 Littleton, Town Beach					
Sampled: 6/14/2021 8:25:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	14	2	6/14/2021 12:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

228866

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


ReportDate: 6/15/2021

30 Central Avenue

Ayer, MA 01432

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7630 Bolton, Town Beach					
<i>Sampled: 6/14/2021 7:10:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	<2	2	6/14/2021 12:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **228872**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7636 Ayer, Sandy Pond, Sandy Pond Rd					
<i>Sampled: 6/14/2021 9:40:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	22	2	6/14/2021 12:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=81/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

228871

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7635 Groton, GrotonWood Camp,Prescott Rd					
<i>Sampled: 6/14/2021 9:18:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	6/14/2021 12:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

228867

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7631 Stow, Town Beach					
Sampled: 6/14/2021 7:31:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	<2	2	6/14/2021 12:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, which appears to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

228868

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7632 Harvard, Town of Harvard					
<i>Sampled: 6/14/2021 8:04:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	6/14/2021 12:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

228870

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7634 Groton, Baby Beach					
<i>Sampled: 6/14/2021 8:59:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	14	2	6/14/2021 12:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

228869

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health

30 Central Avenue

Ayer, MA 01432

ReportDate: 6/15/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7633 Groton, Town Beach					
Sampled: 6/14/2021 8:45:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	4	2	6/14/2021 12:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director