

Beach Sampling Field Data

Revised 2018

Town/City:

Date Collected: 6/21/21

Collected by: Matthew Saunders

Time Delivered to Lab:

Delivered by:

Relinquished to:

Sample ID	Localities	Main E. Side	Sample Time	Water Temp	Wave Intensity	Days Since Rain	Potential Pollution Sources								
							People in Water	Birds	Dogs	Algae	Trash	Animal/Human Waste	Wreck	None	
7652	Boston Town	F	7:18	74.5	N	R	0	0	0	0	0	0	0	0	0
7649	Tom Denny	F	7:35	74.6	N	R	0	0	0	0	0	0	0	0	0
7653	Stow Town	F	8:06	74.5	N	R	0	0	0	0	0	0	0	0	0
7654	Littleton	F	9:00	77.6	N	R	0	0	0	0	0	0	0	0	0
7655	Grafton Town	F	9:21	76.3	N	R	0	0	0	0	0	0	0	0	0
7659	Hornblow Town	F	8:37	76.5	N	R	0	0	0	0	0	0	0	0	0
7656	Baby Beach	F	9:34	79.2	N	R	0	0	0	0	0	0	0	0	0
7657	Grafton Beach	F	9:56	76.8	N	R	0	0	0	0	0	0	0	0	0
7658	Ayer Town	F	10:16	78.5	N	R	0	0	0	0	0	0	0	0	0
7660	Milton Lake	F	11:14	79	N	R	10	0	0	0	0	0	0	0	0
7661	Complow	F	11:38	79.6	N	R	10	0	0	0	0	0	0	0	0
7659	Lenny's Beach	F	11:50	80	N	R	0	0	0	0	0	0	0	0	0
7663	Nick's Beach	F	12:13	79.3	N	R	3	0	0	0	0	0	0	0	0
7664	Hickory Hill	F	10:23	81.2	N	R	0	0	0	0	0	0	0	0	0
7665	Hickory Hill	F	10:35	79	N	R	3	0	0	0	0	0	0	0	0

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Comments:

A copy of this form must be included with the samples when they are submitted to the lab.

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229372

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/24/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7675 Lunenburg, Lake Whalom (Emerald Place)					
Sampled: 6/23/2021 9:25:00 AM by J. Garreff, NABH					
E.coli, /100ML	EPA 1603	10	2	6/23/2021 3:05:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **229238**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7628 Lunenburg, Town Beach					
Sampled: 6/21/2021 12:49:00 PM by Matthew Saunders					
E.coli, /100ML	EPA 1603	30	2	6/21/2021 4:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=81/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229239

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7650 Lancaster, Town Beach, Fire Road 4					
<i>Sampled: 6/21/2021 11:50:00 AM by Matthew Sauders</i>					
E.coli, /100ML	EPA 1603	<2	2	6/21/2021 4:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229240

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7680 Devens, Mirror Lake, Patten Rd					
<i>Sampled: 6/21/2021 11:18:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	6/21/2021 4:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229241

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7661 Lancaster, Camp Lowe, Ft. Pond Inn Rd					
<i>Sampled: 6/21/2021 11:36:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	<2	2	6/21/2021 4:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229242

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7662 Lunenburg, Hickory Hills, Brookview					
<i>Sampled: 6/21/2021 12:35:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	22	2	6/21/2021 4:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **229244**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7663 Lunenburg, Hickory Hill, Island Rd					
<i>Sampled: 6/21/2021 12:13:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	8	2	6/21/2021 4:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229246

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7664 Lunenburg, Hickory Hemlock, Hemlock Dr					
<i>Sampled: 6/21/2021 12:23:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	6/21/2021 4:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

A handwritten signature in cursive script, which reads "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229247

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/22/2021


Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7665 Lunenburg, Lake Whalom (Emerald Place)					
Sampled: 6/21/2021 12:56:00 PM by Matthew Saunders					
E.coli, /100ML	EPA 1603	>600	2	6/21/2021 4:30:00 PM	M-MA1118

Retest → pass; can remain open

Retest 10/100ml (6/23)

KUSA



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229202

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7649 Bolton, Tom Denny Camp. Flanagan Rd					
<i>Sampled: 6/21/2021 7:35:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	12	2	6/21/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229206

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7654 Littleton, Town Beach					
<i>Sampled: 6/21/2021 9:00:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	48	2	6/21/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229207

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7655 Groton, Town Beach					
<i>Sampled: 6/21/2021 9:21:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	<2	2	6/21/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229209

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7656 Groton, Baby Beach					
<i>Sampled: 6/21/2021 9:34:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	20	2	6/21/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229210

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


ReportDate: 6/22/2021

30 Central Avenue

Ayer, MA 01432

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7657 Groton, GrotonWood Camp, Prescott Rd					
Sampled: 6/21/2021 9:56:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	2	2	6/21/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **229211**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7658 Ayer, Town Beach					
<i>Sampled: 6/21/2021 10:18:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	94	2	6/21/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229212

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 6/22/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7659 Harvard, Town of Harvard					
Sampled: 6/21/2021 8:37:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	4	2	6/21/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director