

Beach Sampling Field Data

Revised 2018

Town/City:

Date Collected: July 6, 2021

Collected by:

Time Delivered to Lab:
Delivered by:
Rainquished to:

Sample Location	Sample Time	Weather	Water Temp	Wave Intensity	Days Since Rain	Potential Pollution Sources													
						People	Birds	Poosh	Algae	Trash	Animal/Human Waste	Wack	None						
7696 TomSennery	7:16	P	70.5	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7697 Boxington	7:36	P	71.3	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7698 Boxington	7:56	P	71.3	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7699 Boxington	8:22	P	71.3	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7700 Boxington	8:46	P	72.6	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7701 Boxington	9:06	P	72.4	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7702 Boxington	9:21	P	72.7	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7703 Boxington	9:40	P	71.7	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7704 Boxington	10:00	P	73	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7705 Boxington	10:52	P	73.2	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7706 Boxington	11:11	P	73.9	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7707 Boxington	11:23	P	73.2	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7708 Boxington	11:26	P	73.9	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7709 Boxington	11:56	P	73.8	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0
7710 Boxington	12:07	P	72.5	C	N	R	0	0	0	0	0	0	0	0	0	0	0	0	0

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Comments:

A copy of this form must be included with the samples when they are submitted to the lab.

Beach Sampling Field Data

Revised 2018

Town/City: July 9, 2024
 Date Collected: July 9, 2024
 Collected by:

Time Delivered to Lab:
 Delivered by:
 Relinquished to:

Sample Location	Sample Date	Sample Time	Weather	Water Temp	Waves Intensity	Days Since Rain	Potential Pollution Sources													
							People	Birds	Poison	Algae	Trash	Animal/Human Waste	None	None	None	None				
7111 Highway Hills F	12:20		P M	74.5	C N	R	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7112 Lunenburg F	12:13		P M	73.5	C N	R	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7113 Emerald Pools F	12:51		P M	76.5	C N	R	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7114 Camp W. Meadows F	1:22		P M	70.4	C N	R	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			P M		C N	R														
			P M		C N	R														
			P M		C N	R														
			P M		C N	R														
			P M		C N	R														
			P M		C N	R														
			P M		C N	R														
			P M		C N	R														
			P M		C N	R														

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Comments:

A copy of this form must be included with the samples when they are submitted to the lab.

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229747

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7696 Bolton, Tom Denny Camp. Flanagan Rd					
<i>Sampled: 7/6/2021 7:16:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	164	2	7/6/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **229748**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7697 Bolton, Town Beach					
<i>Sampled: 7/6/2021 7:36:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	20	2	7/6/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229749

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7698 Stow, Town Beach					
<i>Sampled: 7/6/2021 7:56:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	7/6/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **229750**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7699 Harvard, Town of Harvard					
<i>Sampled: 7/6/2021 8:22:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	<2	2	7/6/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:
 E.coli Limit= 235/100ml
 Enterococcus Limit=61/100ml
 MRL = Minimum Reporting Level
 Analysis performed according to 310CMR42.00
 Massachusetts Certified
 Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229751

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7700 Littleton, Town Beach					
<i>Sampled: 7/6/2021 8:46:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	7/6/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229752

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7701 Groton, Town Beach					
Sampled: 7/6/2021 9:06:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	6	2	7/6/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229753

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7702 Groton, Baby Beach					
Sampled: 7/6/2021 9:21:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	8	2	7/6/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **229755**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7703 Groton, GrotonWood Camp, Prescott Rd					
Sampled: 7/6/2021 9:40:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	2	2	7/6/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229756

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7704 Ayer, Town Beach					
Sampled: 7/6/2021 10:00:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	<2	2	7/6/2021 2:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229784

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7705 Devens, Mirror Lake, Patten Rd					
<i>Sampled: 7/6/2021 10:52:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	8	2	7/6/2021 3:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229786

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


ReportDate: 7/7/2021

30 Central Avenue

Ayer, MA 01432

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7706 Lancaster, Camp Lowe, Ft. Pond Inn Rd					
<i>Sampled: 7/6/2021 11:11:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	7/6/2021 3:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in cursive script, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229788

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7707 Lancaster, Town Beach, Fire Road 4					
<i>Sampled: 7/6/2021 11:23:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	7/6/2021 3:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in cursive script, which reads "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229792

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7708 Lancaster, 10 Fire Rd. #12 (JCC)					
<i>Sampled: 7/6/2021 11:38:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	4	2	7/6/2021 3:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229793

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7709 Lunenburg, Hickory Hill, Island Rd					
<i>Sampled: 7/6/2021 11:58:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	<2	2	7/6/2021 3:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229794

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health

30 Central Avenue

Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7710 Lunenburg, Hickory Hemlock, Hemlock Dr					
<i>Sampled: 7/6/2021 12:07:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	10	2	7/6/2021 3:30:00 PM	M-MA1118

*rec'd
7/7/21
KM*

Recreational Water Limits:


E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118



David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

229795

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7711 Lunenburg, Hickory Hills, Brookview					
<i>Sampled: 7/6/2021 12:20:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	7/6/2021 3:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **229796**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7712 Lunenburg, Town Beach					
<i>Sampled: 7/6/2021 12:43:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	8	2	7/6/2021 3:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analyses performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA111B

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **229798**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7714 Ashburnham, Camp Winnakeag, Ashby Rd					
<i>Sampled: 7/6/2021 1:22:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	20	2	7/6/2021 3:30:00 PM	M-MA1118



Recreational Water Limits:
 E.coli Limit= 235/100ml
 Enterococcus Limit=61/100ml
 MRL = Minimum Reporting Level
 Analysis performed according to 310CMR42.00
 Massachusetts Certified
 Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **229797**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/7/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7713 Lunenburg, Lake Whalom (Emerald Place)					
<i>Sampled: 7/6/2021 12:51:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	12	2	7/6/2021 3:30:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director