

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**230405**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/20/2021

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7754 Bolton, Tom Denny Camp. Flanagan Rd					
Sampled: 7/19/2021 7:21:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	46	2	7/19/2021 2:45:00 PM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **230406**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/20/2021

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7755 Bolton, Town Beach</b>					
<i>Sampled: 7/19/2021 7:41:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	38	2	7/19/2021 2:45:00 PM	M-MA1118



Recreational Water Limits:  
 E.coli Limit= 235/100ml  
 Enterococcus Limit=61/100ml  
 MRL = Minimum Reporting Level  
 Analysis performed according to 310CMR42.00  
 Massachusetts Certified  
 Laboratory #M-MA1118

*David L. Knowlton*  
 David L. Knowlton  
 Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **230407**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/20/2021

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7758 Stow, Town Beach</b>					
<i>Sampled: 7/19/2021 8:02:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	8	2	7/19/2021 2:45:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **230408**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


ReportDate: 7/20/2021

30 Central Avenue

Ayer, MA 01432

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7757 Harvard, Town of Harvard</b>					
<i>Sampled: 7/19/2021 8:28:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	8	2	7/19/2021 2:45:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

A handwritten signature in cursive script, appearing to read "David L. Knowlton".

David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **230410**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/20/2021

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7758 Littleton, Town Beach</b>					
<i>Sampled: 7/19/2021 8:50:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	42	2	7/19/2021 2:45:00 PM	M-MA1118



**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**230411**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/20/2021

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7759 Groton, Town Beach</b>					
<i>Sampled: 7/19/2021 9:15:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	16	2	7/19/2021 2:45:00 PM	M-MA1118



### Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **230412**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/12/2021

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7760 Groton, Baby Beach</b>					
<i>Sampled: 7/19/2021 9:28:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	20	2	7/19/2021 2:45:00 PM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **230413**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/20/2021

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7761 Groton, GrotonWood Camp, Prescott Rd					
Sampled: 7/19/2021 9:46:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	10	2	7/19/2021 2:45:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton  
Laboratory Director



**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**230414**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/20/2021

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7762 Ayer, Town Beach</b>					
<i>Sampled: 7/19/2021 10:09:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	12	2	7/19/2021 2:45:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **230429**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/20/2021

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7763 Devens, Mirror Lake, Patten Rd</b>					
<i>Sampled: 7/19/2021 11:00:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	166	2	7/19/2021 4:25:00 PM	M-MA1118



**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**230431**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/20/2021

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7764 Lancaster, Camp Lowe, Ft. Pond Inn Rd</b>					
<i>Sampled: 7/19/2021 11:21:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	54	2	7/19/2021 4:25:00 PM	M-MA1118



**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**230432**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/20/2021

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7765 Lancaster, Town Beach, Fire Road 4</b>					
<i>Sampled: 7/19/2021 11:33:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	24	2	7/19/2021 4:25:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limt= 236/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**230433**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/20/2021

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7766 Lancaster, 10 Fire Rd. #12 (JCC)</b>					
<i>Sampled: 7/19/2021 11:44:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	10	2	7/19/2021 4:25:00 PM	M-MA1118



### Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**230435**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/20/2021

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7767 Lunenburg, Hickory Hill, Island Rd</b>					
<i>Sampled: 7/19/2021 12:10:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	132	2	7/19/2021 4:25:00 PM	M-MA1118



**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in cursive script, appearing to read "David L. Knowlton".

David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**230437**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/20/2021

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7768 Lunenburg, Hickory Hemlock, Hemlock Dr					
Sampled: 7/19/2021 12:20:00 PM by Matthew Saunders					
E.coli, /100ML	EPA 1603	80	2	7/19/2021 4:25:00 PM	M-MA1118



### Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **230440**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/20/2021

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7769 Lunenburg, Hickory Hills, Brookview</b>					
<i>Sampled: 7/19/2021 12:34:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	140	2	7/19/2021 4:25:00 PM	M-MA1118



**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

David L. Knowlton  
Laboratory Director



**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**230441**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/20/2021

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7770 Lunenburg, Town Beach</b>					
<i>Sampled: 7/19/2021 12:52:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	26	2	7/19/2021 4:25:00 PM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

A handwritten signature in cursive script, which reads "David L. Knowlton".

David L. Knowlton  
Laboratory Director

**Nashoba Analytical, LLC**

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**230443**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/20/2021

**Certificate of Analysis**

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7771 Lunenburg, Lake Whalom (Emerald Place)</b>					
<i>Sampled: 7/19/2021 12:56:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	104	2	7/19/2021 4:25:00 PM	M-MA1118



**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified  
Laboratory #M-MA1118

David L. Knowlton  
Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **230445**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health  
30 Central Avenue  
Ayer, MA 01432

ReportDate: 7/20/2021

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7772 Ashby, Camp Lapham - South Rd Swim Area</b>					
<i>Sampled: 7/19/2021 1:24:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	88	2	7/19/2021 4:25:00 PM	M-MA1118



Recreational Water Limits:  
 E.coli Limit= 235/100ml  
 Enterococcus Limit=61/100ml  
 MRL = Minimum Reporting Level  
 Analysis performed according to 310CMR42.00  
 Massachusetts Certified  
 Laboratory #M-MA1118

*David L. Knowlton*  
 David L. Knowlton  
 Laboratory Director

# Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

**230448**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/20/2021

## Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
<b>NABH# NA7773 Ashburnham, Camp Winnakeag, Ashby Rd</b>					
<i>Sampled: 7/19/2021 1:42:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	20	2	7/19/2021 4:25:00 PM	M-MA1118



**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton  
Laboratory Director