

Beach Sampling Field Data

Revised 2018

Town/City: 7/26/21
 Date Collected: 7/26/21
 Collected by: _____

Time Delivered to Lab: _____
 Delivered by: _____
 Relinquished to: _____

Sample Location	Date	Time	Weather	Temp	Waves	Wind	Visibility	Rain	Days Since Rain	Potential Pollution Sources				None
										People	Birds	Animals	Human Waste	
1780 Tomkenney	F	7:12	P	M	71.3	(C)	N	R		0	0	0	0	
1791 Bolton Town	F	7:31	P	M	74.2	(C)	N	R		0	0	0	0	
1792 Stan Town	F	7:55	P	M	74	(C)	N	R		0	0	0	0	
1793 Harold Town	F	8:22	P	M	73.1	(C)	N	R		0	0	0	0	
1794 L. Hieronim	F	8:45	P	M	74.5	(C)	N	R		0	0	0	0	
1795 Gerton Town	F	9:05	P	M	75.2	(C)	N	R		0	0	0	0	
1796 Baby Beach	F	9:19	P	M	76	(C)	N	R		2	0	0	0	
1797 Gerton Beach	F	9:40	P	M	75.6	(C)	N	R		2	0	0	0	
1798 Aker Town	F	10:00	P	M	76.2	(C)	N	R		2	0	0	0	
1799 Mill Lake	F	10:59	P	M	76.5	(C)	N	R		15	0	0	0	
1800 Corn Lane	F	11:20	P	M	75.9	(C)	N	R		0	0	0	0	
1801 Lancaster Town	F	11:33	P	M	76.7	(C)	N	R		6	0	0	0	
1802 JCC Camp	F	11:42	P	M	77.7	(C)	N	R		1	0	0	0	
1803 Hickory Hills	F	12:08	P	M	78.6	(C)	N	R		2	0	0	0	
1804 Hickory Hills	F	12:22	P	M	74	(C)	N	R		0	0	0	0	

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Comments: _____

A copy of this form must be included with the samples when they are submitted to the lab.

Beach Sampling Field Data

Revised 2018

Town/City: 7/26/21
 Date Collected:
 Collected by:

Time Delivered to Lab:
 Delivered by:
 Relinquished to:

Sample Location (Address)	Sample Name	Sample Time	Water Color	Water Clarity	Water Temp	Wave Intensity	Days Since Rain	Potential Pollution Sources						
								People	Animals	Trash	Algae	Birds	Pests	Others
								Water	Human	Animal	Human	Waste	W/rack	None
7905 Lunenburg F	P125		C	M	81	C	R							
7806 Fresh Pond F	P112		C	M	82	C	R							
7907 Campbellton F	L106		C	M	80	C	R							
7908 Campbellton F	L127		C	M	84	C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							
			C	M		C	R							

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Comments:

A copy of this form must be included with the samples when they are submitted to the lab.

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230830

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7799 Devens, Mirror Lake, Patten Rd					
<i>Sampled: 7/26/2021 10:59:00 AM by M Saunders</i>					
E.coli, /100ML	EPA 1603	210	2	7/26/2021 3:25:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230840

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7808 Ashburnham, Camp Winnakeag, Ashby Rd					
Sampled: 7/26/2021 1:24:00 PM by M Saunders					
E.coli, /100ML	EPA 1603	104	2	7/26/2021 3:25:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230839

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7807 Ashby, Camp Lapham - South Rd Swim Area					
<i>Sampled: 7/26/2021 1:08:00 PM by M Saunders</i>					
E.coli, /100ML	EPA 1603	4	2	7/26/2021 3:25:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230837

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7806 Lunenburg, Lake Whalom (Emerald Place)					
Sampled: 7/26/2021 12:42:00 PM by M Saunders					
E.coli, /100ML	EPA 1803	2	2	7/26/2021 3:25:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230836

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7805 Lunenburg, Town Beach					
<i>Sampled: 7/26/2021 12:35:00 PM by M Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	7/26/2021 3:25:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **230835**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7804 Lunenburg, Hickory Hills, Brookview					
<i>Sampled: 7/26/2021 12:22:00 PM by M Saunders</i>					
E.coli, /100ML	EPA 1603	36	2	7/26/2021 3:25:00 PM	M-MA111B



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230834

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7803 Lunenburg, Hickory Hill, Island Rd					
<i>Sampled: 7/26/2021 12:08:00 PM by M Saunders</i>					
E.coli, /100ML	EPA 1603	14	2	7/26/2021 3:25:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 236/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **230833**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7802 Lancaster, 10 Fire Rd. #12 (JCC)					
<i>Sampled: 7/26/2021 11:43:00 AM by M Saunders</i>					
E.coli, /100ML	EPA 1603	<2	2	7/26/2021 3:25:00 PM	M-MA1118



Recreational Water Limits:
 E.coli Limit= 235/100ml
 Enterococcus Limit=51/100ml
 MRL = Minimum Reporting Level
 Analysis performed according to 310CMR42.00
 Massachusetts Certified
 Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **230832**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7801 Lancaster, Town Beach, Fire Road 4					
<i>Sampled: 7/26/2021 11:33:00 AM by M Saunders</i>					
E.coli, /100ML	EPA 1603	8	2	7/26/2021 3:25:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230831

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7800 Lancaster, Camp Lowe, Ft. Pond Inn Rd					
<i>Sampled: 7/26/2021 11:20:00 AM by M Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	7/26/2021 3:25:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230807

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7790 Bolton, Tom Denny Camp. Flanagen Rd					
<i>Sampled: 7/26/2021 7:12:00 AM by M Saunders</i>					
E.coli, /100ML	EPA 1603	14	2	7/26/2021 2:40:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230808

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7791 Bolton, Town Beach					
Sampled: 7/26/2021 7:31:00 AM by M Saunders					
E.coli, /100ML	EPA 1603	26	2	7/26/2021 2:40:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **230809**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


ReportDate: 7/27/2021

30 Central Avenue

Ayer, MA 01432

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7792 Stow, Town Beach					
<i>Sampled: 7/26/2021 7:55:00 AM by M Saunders</i>					
E.coli, /100ML	EPA 1603	8	2	7/26/2021 2:40:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

A handwritten signature in cursive script, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230811

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7793 Harvard, Town of Harvard					
<i>Sampled: 7/26/2021 8:22:00 AM by M Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	7/26/2021 2:40:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230812

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7794 Littleton, Town Beach					
Sampled: 7/26/2021 8:45:00 AM by M Saunders					
E.coli, /100ML	EPA 1603	2	2	7/26/2021 2:40:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230814

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7795 Groton, Town Beach					
Sampled: 7/26/2021 9:05:00 AM by M Saunders					
E.coli, /100ML	EPA 1603	8	2	7/26/2021 2:40:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230815

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7796 Groton, Baby Beach					
Sampled: 7/26/2021 9:19:00 AM by M Saunders					
E.coli, /100ML	EPA 1603	4	2	7/26/2021 2:40:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230816

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7797 Groton, GrotonWood Camp, Prescott Rd					
Sampled: 7/26/2021 9:40:00 AM by M Saunders					
E.coli, /100ML	EPA 1603	6	2	7/26/2021 2:40:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

230817

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 7/27/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7798 Ayer, Town Beach					
<i>Sampled: 7/26/2021 10:00:00 AM by M Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	7/26/2021 2:40:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director