

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231529

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7869 Devens, Mirror Lake, Patten Rd					
<i>Sampled: 8/9/2021 11:03:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	20	2	8/9/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231530**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7870 Lancaster, Camp Lowe, Ft. Pond Inn Rd					
<i>Sampled: 8/9/2021 11:22:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	8/9/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231531

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7871 Lancaster, Town Beach, Fire Road 4					
<i>Sampled: 8/9/2021 11:34:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	8/9/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231532**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7872 Lancaster, 10 Fire Rd. #12 (JCC)					
<i>Sampled: 8/9/2021 11:46:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	<2	2	8/9/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:
 E.coli Limit= 235/100ml
 Enterococcus Limit=61/100ml
 MRL = Minimum Reporting Level
 Analysis performed according to 310CMR42.00
 Massachusetts Certified
 Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231533**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7873 Lunenburg, Hickory Hill, Island Rd					
<i>Sampled: 8/9/2021 12:15:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	56	2	8/9/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231534

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7874 Lunenburg, Hickory Hemlock, Hemlock Dr					
<i>Sampled: 8/9/2021 12:25:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	8/9/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **231536**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7875 Lunenburg, Hickory Hills, Brookview					
<i>Sampled: 8/9/2021 12:35:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	10	2	8/9/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231537

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7876 Lunenburg, Town Beach					
<i>Sampled: 8/9/2021 12:50:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	8/9/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231538

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7877 Lunenburg, Lake Whalom (Emerald Place)					
<i>Sampled: 8/9/2021 12:56:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	4	2	8/9/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **231539**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7878 Ashby, Camp Lapham - South Rd Swim Area					
<i>Sampled: 8/9/2021 1:24:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	<2	2	8/9/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **231540**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7879 Ashburnham, Camp Winnakeag, Ashby Rd					
<i>Sampled: 8/9/2021 1:40:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	8/9/2021 4:15:00 PM	M-MA1118



Recreational Water Limits:
 coli Limit= 235/100ml
 erococcus Limit=81/100ml
 = Minimum Reporting Level
 is performed according to 310CMR42.00
 usetts Certified
 y #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231499**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7860 Bolton, Tom Denny Camp. Flanagan Rd					
<i>Sampled: 8/9/2021 7:19:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	26	2	8/9/2021 11:30:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231500

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7861 Bolton, Town Beach					
<i>Sampled: 8/9/2021 7:38:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	52	2	8/9/2021 11:30:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=81/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231501

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NAABH# NA7862	Stow, Town Beach				
<i>Sampled: 8/9/2021 8:00:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	8/9/2021 11:30:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231502

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7863 Harvard, Town of Harvard					
<i>Sampled: 8/9/2021 8:29:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	8/9/2021 11:30:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231503**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7864 Littleton, Town Beach					
<i>Sampled: 8/9/2021 8:54:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	8	2	8/9/2021 11:30:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231504**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7865 Groton, Town Beach					
<i>Sampled: 8/9/2021 9:14:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	8/9/2021 11:30:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231505**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7866 Groton, Baby Beach					
<i>Sampled: 8/9/2021 9:30:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	8/9/2021 11:30:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231506

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7867 Groton, GrotonWood Camp,Prescott Rd					
Sampled: 8/9/2021 9:50:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	156	2	8/9/2021 11:30:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231507**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/10/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7868 Ayer, Town Beach					
Sampled: 8/9/2021 10:12:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	6	2	8/9/2021 11:30:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director