

Beach Sampling Field Data

Revised 2018

Town/City: **8/16**
 Date Collected: **8/16**
 Collected by: **Mark Saunders**

Time Delivered to Lab:
 Delivered by:
 Relinquished to:

Sample Location (Beach Name, Mileage, etc.)	Sample Date (Month, Day, Year)	Sample Time	Water Color (1-5)	Water Temp (°F)	Wave Intensity (0-5)	Days Since Rain	Potential Pollution Sources - If none check none								
							# People	# Dogs	# Algae	# Trash	# Animal/ Human Waste	# Wrack	# None		
7880 Tom Denny	F	7:34 AM	0		0	R	0	0	0	0	0	0	0	0	0
7891 Bolton Town	F	7:55 AM	0	77.1	0	R	0	5	0	0	0	0	0	0	0
7882 Pine Bluff	F	8:15 AM	0	77.8	0	R	0	0	0	0	0	0	0	0	0
7883 Poplar Town	F	8:47 AM	0	77.3	0	R	0	0	0	0	0	0	0	0	0
7884 Littleton Town	F	9:06 AM	0	77.2	0	R	0	0	0	0	0	0	0	0	0
7885 Groton Town	F	9:35 AM	0	76.4	0	R	0	0	0	0	0	0	0	0	0
7886 Baby Beach	F	9:45 AM	0	78.7	0	R	0	0	0	0	0	0	0	0	0
7887 Ager Town	F	10:02	0	78.3	0	R	0	0	0	0	0	0	0	0	0
7888 Camp Cove	F	11:08	0	78	0	R	0	0	0	0	0	0	0	0	0
7889 JCC	F	11:27	0	78	0	R	0	0	0	0	0	0	0	0	0
7890 Lancaster Town	F	11:28	0	81.3	0	R	0	0	0	0	0	0	0	0	0
7891 Hickory Hills 1	F	11:48	0	77.1	0	R	0	0	0	0	0	0	0	0	0
7892 Hickory Hills 2	F	11:55	0	78.3	0	R	0	0	0	0	0	0	0	0	0
7893 Hickory Hills 9	F	12:09	0	81.5	0	R	0	0	0	0	0	0	0	0	0
7894 Lunenburg Town	F	12:23	0	78	0	R	10	0	0	0	0	0	0	0	0

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Comments:

A copy of this form must be included with the samples when they are submitted to the lab.

Beach Sampling Field Data

Revised 2018

Town/City: _____ Time Delivered to Lab: _____
 Date Collected: *8/16/11* Delivered by: _____
 Collected by: *Pat Saunders* Relinquished to: _____

D#	Sample Location Beach Name	Sample Date Time	Water Clarity Calm/Choppy/Very Choppy	Water Temp	Wave Intensity Calm/None/Strong	Days Since Rain (0-24)	Potential Pollution Sources				Wreck	None	
							# People	# Dogs	# Birds	# Dogs			Algae
7895	<i>Emerald Place</i>	<i>F 12:29</i>	<i>P</i>	<i>M 78.3</i>	<i>C</i>	<i>R</i>	<i>0</i>	<i>0</i>	<i>0</i>				
7896	<i>Camp Winnekey</i>	<i>F 12:57</i>	<i>P</i>	<i>M 79.1</i>	<i>C</i>	<i>R</i>	<i>0</i>	<i>0</i>	<i>0</i>				
			<i>C</i>		<i>C</i>	<i>R</i>							
			<i>C</i>		<i>C</i>	<i>R</i>							
			<i>C</i>		<i>C</i>	<i>R</i>							
			<i>C</i>		<i>C</i>	<i>R</i>							
			<i>C</i>		<i>C</i>	<i>R</i>							
			<i>C</i>		<i>C</i>	<i>R</i>							
			<i>C</i>		<i>C</i>	<i>R</i>							
			<i>C</i>		<i>C</i>	<i>R</i>							
			<i>C</i>		<i>C</i>	<i>R</i>							
			<i>C</i>		<i>C</i>	<i>R</i>							
			<i>C</i>		<i>C</i>	<i>R</i>							

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Comments: _____

A copy of this form must be included with the samples when they are submitted to the lab.

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231848

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7881 Bolton, Town Beach					
<i>Sampled: 8/16/2021 7:55:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	8/16/2021 11:00:00 AM	M-MA1118

**Recreational Water Limits:**

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231850

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7882 Stow, Town Beach					
<i>Sampled: 8/16/2021 8:15:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	4	2	8/16/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231851**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7883 Harvard, Town of Harvard					
<i>Sampled: 8/16/2021 8:47:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	<2	2	8/16/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231852

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7884 Littleton, Town Beach					
<i>Sampled: 8/16/2021 9:06:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	6	2	8/16/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read "David L. Knowlton".

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231853

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7885 Groton, Town Beach					
<i>Sampled: 8/16/2021 9:35:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	8/16/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231854**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:


Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7886	Groton, Baby Beach				
Sampled: 8/16/2021 9:55:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	514	2	8/16/2021 11:00:00 AM	M-MA1118

CLOSED until Retest passes.
Kufundheru



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231855

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7887 Ayer, Town Beach					
Sampled: 8/16/2021 10:02:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	2	2	8/16/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231889

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7888 Lancaster, Camp Lowe, Ft. Pond Inn Rd					
<i>Sampled: 8/16/2021 11:08:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	4	2	8/16/2021 4:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231890**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7889 Lancaster, 10 Fire Rd. #12 (JCC)					
<i>Sampled: 8/16/2021 11:19:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	8	2	8/16/2021 4:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231891

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7890 Lancaster, Town Beach, Fire Road 4					
<i>Sampled: 8/16/2021 11:28:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	10	2	8/16/2021 4:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231892

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7891 Lunenburg, Hickory Hill, Island Rd					
<i>Sampled: 8/16/2021 11:48:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	<2	2	8/16/2021 4:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231894

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7892 Lunenburg, Hickory Hemlock, Hemlock Dr					
<i>Sampled: 8/16/2021 11:55:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1803	4	2	8/16/2021 4:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231896

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7893 Lunenburg, Hickory Hills, Brookview					
<i>Sampled: 8/16/2021 12:09:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	8	2	8/16/2021 4:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **231897**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7894 Lunenburg, Town Beach					
<i>Sampled: 8/16/2021 12:27:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	24	2	8/16/2021 4:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231899

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7895 Lunenburg, Lake Whalom (Emerald Place)					
<i>Sampled: 8/16/2021 12:29:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	2	2	8/16/2021 4:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

231902

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/17/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7896 Ashburnham, Camp Winnakeag, Ashby Rd					
<i>Sampled: 8/16/2021 12:57:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1803	<2	2	8/16/2021 4:00:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director