

Beach Sampling Field Data

Revised 2018

Town/City: *various*
 Date Collected: *8/24/21*
 Collected by: *Matthew Saunders*

Time Delivered to Lab:
 Delivered by:
 Relinquished to:

ID #	Sample Location	Mantis	Sample Time	Water Temp	Wave Frequency	Days Since Rain	Potential Pollution Sources				Animal/ Human Waste	Wrack	None
							# People in Water	# Birds	# Dogs	Algae			
7905	Beltain	F	7:10	75	N	1	0	0	0	0			
7906	Stawin	F	7:30	75.3	N	1	0	3	0	0			
7909	Hambildin	F	8:00	73.5	N	1	0	0	0	0			
7908	Lipterwin	F	8:23	74	N	1	0	0	0	0			
7909	Cochanwin	F	8:45	74.1	N	1	0	0	0	0			
7910	Rock Beach	F	9:02	75.8	N	1	0	0	0	0			
7911	Ayer town	F	9:20	77	N	1	0	0	0	0			
7910	camp lane	F	11:05	77.7	N	1	0	0	0	0			
7913	see camp	F	11:17	79	N	1	0	0	0	0			
7914	Hickonville	F	11:24	79.6	N	1	0	0	0	0			
7915	17' clem hill	F	11:52	79.1	N	1	0	0	0	0			
7916	Hickonville	F	12:05	78.5	N	1	0	0	0	0			
7917	Washington	F	12:20	76.8	N	1	0	0	0	0			
7918	Emerald Place	F	12:27	77.5	N	1	0	0	0	0			

Cloud Cover: Clear Partly Cloudy Cloudy/Overcast

Comments:

A copy of this form must be included with the samples when they are submitted to the lab.

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

232253

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7905 Bolton, Town Beach					
<i>Sampled: 8/24/2021 7:10:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	74	2	8/24/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

232254

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/25/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7906 Stow, Town Beach					
<i>Sampled: 8/24/2021 7:30:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	38	2	8/24/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

232255

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7907 Harvard, Town of Harvard					
<i>Sampled: 8/24/2021 8:00:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	28	2	8/24/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

232256

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


ReportDate: 8/25/2021

30 Central Avenue

Ayer, MA 01432

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7908 Littleton, Town Beach					
<i>Sampled: 8/24/2021 8:23:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	28	2	8/24/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=81/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber: **232257**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


ReportDate: 8/25/2021

30 Central Avenue

Ayer, MA 01432

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7909 Groton, Town Beach					
<i>Sampled: 8/24/2021 8:45:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1803	48	2	8/24/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

232258

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/25/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7910 Groton, Baby Beach					
<i>Sampled: 8/24/2021 9:02:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	40	2	8/24/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

A handwritten signature in black ink, appearing to read 'David L. Knowlton'. The signature is fluid and cursive.

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

232259

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


ReportDate: 8/25/2021

30 Central Avenue

Ayer, MA 01432

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7911 Ayer, Town Beach					
<i>Sampled: 8/24/2021 9:20:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1803	2	2	8/24/2021 11:00:00 AM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **232281**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7912 Lancaster, Camp Lowe, Ft. Pond Inn Rd					
<i>Sampled: 8/24/2021 11:08:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	20	2	8/24/2021 3:15:00 PM	M-MA1118



Recreational Water Limits:
 E.coli Limit= 235/100ml
 Enterococcus Limit=61/100ml
 MRL = Minimum Reporting Level
 Analysis performed according to 310CMR42.00
 Massachusetts Certified
 Laboratory #M-MA1118

David L. Knowlton
 David L. Knowlton
 Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

232282

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/25/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7913 Lancaster, 10 Fire Rd. #12 (JCC)					
<i>Sampled: 8/24/2021 11:17:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	4	2	8/24/2021 3:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=31/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **232283**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7914 Lunenburg, Hickory Hill, Island Rd					
<i>Sampled: 8/24/2021 11:44:00 AM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	18	2	8/24/2021 3:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **232284**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence


Client:

Nashoba Assoc. Boards of Health
30 Central Avenue
Ayer, MA 01432

ReportDate: 8/25/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7915 Lunenburg, Hickory Hemlock, Hemlock Dr					
Sampled: 8/24/2021 11:52:00 AM by Matthew Saunders					
E.coli, /100ML	EPA 1603	30	2	8/24/2021 3:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

232285

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health

30 Central Avenue

Ayer, MA 01432

ReportDate: 8/25/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7916 Lunenburg, Hickory Hills, Brookview					
<i>Sampled: 8/24/2021 12:05:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	44	2	8/24/2021 3:15:00 PM	M-MA1118

fm

Recreational Water Limits:

E.coli Limit= 235/100ml


Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118



David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428

Fax: 978-391-4643

LabNumber:

232287

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/25/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7917 Lunenburg, Town Beach					
Sampled: 8/24/2021 12:20:00 PM by Matthew Saunders					
E.coli, /100ML	EPA 1803	18	2	8/24/2021 3:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified
Laboratory #M-MA1118

David L. Knowlton
Laboratory Director

Nashoba Analytical, LLC

Tel: 978-391-4428 Fax: 978-391-4643

LabNumber: **232289**

31A Willow Road, Ayer MA 01432

Website: <http://www.NashobaAnalytical.com>

Use this number with all correspondence

Client:

Nashoba Assoc. Boards of Health


30 Central Avenue

Ayer, MA 01432

ReportDate: 8/25/2021

Certificate of Analysis

Parameter	Method	Result	MRL	Date of Analysis	Analyst
NABH# NA7918 Lunenburg, Lake Whalom (Emerald Place)					
<i>Sampled: 8/24/2021 12:27:00 PM by Matthew Saunders</i>					
E.coli, /100ML	EPA 1603	106	2	8/24/2021 3:15:00 PM	M-MA1118



Recreational Water Limits:

E.coli Limit= 235/100ml

Enterococcus Limit=61/100ml

MRL = Minimum Reporting Level

Analysis performed according to 310CMR42.00

Massachusetts Certified

Laboratory #M-MA1118

David L. Knowlton
Laboratory Director